

S/193/61/000/002/007/009
A005/A004

AUTHOR: Rabinovich, M.Ya.

TITLE: The 5KUJC (5KShS) Jig Grinding Machine

PERIODICAL: Byul. tekhn.-ekon. inform., 1961, No. 2, pp. 30 - 33

TEXT: The Special Design Office of the Leningrad Sovnarkhoz has developed and successfully tested the 5KUJC (5KShS) jig grinding machine which is intended for precision finishing of holes of any shape in steel and hard-alloy components, with exact maintenance of the coordinates of the relative position and the geometric parameters of the holes, without master forms and magnified contour pattern of the hole shape. The machine can also be used for grinding of external (open) shaped profiles of components, particularly mechanical engineering and in instrument-making. Hard alloy parts can be grinded by small diamond grinding wheels on a ceramic base 3 mm in diameter and more, which were especially developed and manufactured by the NIIalmaz. Steel parts are grinded with corundum disks 2-15 mm in diameter. The disk is driven by a changeable high-frequency electric spindle 1 of 36,000 rpm, weight 3 kg, with a 0.45 kw motor, an electrospindle of 72,000 rpm is being accomplished. The spindle is driven by the 48ГИ3 -1 (48GIZ-1) generator

Card 1/4

S/193/61/000/002/007/009
A005/A004

The 5 KWC (5KShS) Jig Grinding Machine

with an increased frequency of 1,200 cps made by the "Elektronasos" Plant; an electronic stabilizer was installed to prevent voltage drops in the power supply mains. The rotary faceplate 2 holds the work piece and is mounted on the compound rest located on angle table 3, its indexing accuracy is 2'. The carriages are provided with lead screws, precision rulers, and platforms for the mounting of the gage blocks with indexing stops. The table can be turned manually and mechanically with three rotation speeds, and the angle table can be fixed at any angular position by binding handle 4. Table 5 with the carriage coordinate system rests on roller bearings and is movable in longitudinal direction both manually and mechanically. The mechanical reciprocating motion is effected by a hydraulical system. Carriage 6 travels along prismatic guides, and holds the electrospindle, which can be inclined from the vertical to the horizontal position. The carriage with the electrospindle can be positioned by hand wheel 7, and also carry out reciprocating motions in vertical direction with a stroke of 0-70 mm. Carriage and electrospindle can also be inclined together with the bedways through $\pm 30^\circ$ for the machining conic holes and inclined surfaces. To machine the cutting edges of punching dies with a small inclination of 30-45', the carriage swivel table is provided with a sinusoidal stop placed on an arm 100 mm long, making it possible to set the carriage at small angle by means of the gage blocks. The measuring device

Card 2/4

S/193/61/000/002/007/009
A005/A004

The 5 KU (5KShS) Jig Grinding Machine

is mounted on a special elbow parallel to the slide bedways; its carriage is displaceable and has a precision ruler and a platform for precision-gage blocks with indexing stop. The machine has an angular monocular microscope 10 with a magnifying power of 50 diameter and a focus distance of 40 mm. For the grinding of units with a transition radius of less than 1.5 mm, the machine has a vibrational device, which can be put in the carriage seat instead of the electrospindle.

Technical machine characteristics:

Area being machined in one setting

Diameter of hole being ground or width of aperture:

for steel

for sintered carbides

Inclination for conic holes

Maximum depth of the hole being ground

Guaranteed precision

Guaranteed machining finish

Weight

200 x 200 mm

from 2 to 200 mm

from 3 to 200 mm

up to 30°

70 mm

0.01 mm

up to class 9

about 1,000 kg

The machine is operated by push-buttons.

Card 3/4

The 5KBC (5KShS) Jig Grinding Machine


Figure 1:

The 5KBC (5KShS) Jig Grinding Machine

There are 2 figures.

Card 4/4

S/193/61/000/002/007/009
A005/A004



PARINOVICH, V. Yu.

"Functional Relationships of Separated Levels and Symmetrical Sections of the Cerebral Cortex." Sovr Nauk Sci, Inst of Higher Nervous Activity, Neur Sci USSR, 17 Sep 54. (8), 7 Sep 54.

SO: Ssn 437, 29 Mar 55

PREOBRAZHENSKAYA, N.S.; RABINOVICH, M.Ya.

"Psychiatry, neurology and medical psychology, nos.1-12, 1953."
(Journal published in the German Democratic Republic). Reviewed
by N.S.Preobrazhenskaya, M.IA.Rabinovich. Zhur. nevr. i psich.
54 no.7:593-598 J1 '54. (MLRA 7:7)

(GERMANY, EASTERN--PSYCHIATRY--PERIODICALS)
(PERIODICALS--PSYCHIATRY--GERMANY, EASTERN)

RABINOVICH, M.Ya (g.Voroshilov)

Clinical aspects of reflex contractures and paralysis following
occupational and other injuries of the extremities. Zhmr. nevr.
i psikh. 54 no.3:646-652 Ag '54. (MIRA 7:9)

(EXTREMITIES, wounds and injuries,
causing contractures & paralysis)

(WOUNDS AND INJURIES,
extremities, causing contractures & paralysis)

(PARALYSIS,
extremities, traum.)

(CONTRACTURE,
extremities, traum.)

RABINOVITCH M. Ya.

EXCERPTA MEDICA Sec.2 Vol.9/8 Physiology, etc. Aug 56

3637. RABINOVITCH M. Ya. *Electrophysiological characteristics of functional connections between the neurons of symmetrical parts of the cerebral cortex (Russian text) Z. VYSC. NERV. DEJATEL. 1955, 5/3 (438-448) Graphs 5

Experiments were performed on rabbits. It was observed that electrocorticograms of 2 symmetrical parts of cerebral cortex can be similar (to full identity) or different in that the increase of amplitude from one hemisphere is related to the decrease of amplitude from the 2nd hemisphere. These relationships were even more pronounced after ACh, adrenaline, camphor, etc. It was also found that when the amplitude of biopotentials from superficial layers of the cortex of one hemisphere was increased and that from the other hemisphere decreased, the relationship of the electrical activity from the deep layers of the cortex of both hemispheres was exactly the reverse.

Wyrwicka - Lódz

RABINOVICH, M.Ya.

One of the mechanisms of formation of the dominating rhythm
in electrical activity of the cerebral cortex. Biul.eksp.biol.
i med. 40 no.9:6-10 S '55. (MLRA 8:12)

1. Iz elektrofiziologicheskoy laboratorii Instituta mozga
(dir. deyatel'nyy chlen AMN SSSR prof. S.A.Sarkisov) AMN
SSSR, Moskva.

(ELECTROENCEPHALOGRAPHY,
dominating rhythms of electric activity of cerebral
cortex.)

LUR'YE, R.N.; RABINOVICH, M.Ya.; TROFIMOV, L.G.

Examination of electrical phenomena in the cortical ends of analysors
in dogs during the formation of conditioned defense reflexes. Zhur.
vys.nerv.deist. 6 no.6:863-871 N-D '56. (MLRA 10:2)

1. Elektrofiziologicheskaya laboratoriya Instituta mozga AMN SSSR.
(REFLEX, CONDITIONED
defense, eeg of motor, auditory & visual analysors in dogs)
(ELECTROENCEPHALOGRAPHY
of motor, auditory & visual analysors in conditioned
defense reflex in dogs)

Rabinovich, M.Y., Trofimova L.G.

1737. THE DOMINANT FOCUS OF EXCITEMENT IN THE ESTABLISHMENT OF A CONDITIONED REFLEX (Russian text) - Rabinovich M.Y. and Trofimova L.G. Brain Institute of the USSR Acad. of Med. Scis, Moscow - BIULL. EKSPER. BIOL. I MED. 1957, 43/2 (3-8) Illus. 3

The electric potentials of motor, auditory, and optical regions of the cortex during production of defensive conditioned reflexes to sound and light were studied. The experiments were carried out on dogs, with live electrodes. Analysis of the EEG data showed that the primary application of a conditional stimulus caused a distinct increase in the amplitude and frequency of the electric potentials in all examined regions of the cortex: motor, auditory, and optical. Regarding the production and intensity of a defensive conditioned reflex, the signal stimulus started to cause changes in the motor zone only, and simultaneously also in the zone to which the conditioned stimulus was applied. In the motor area of the cortex the increase in amplitude fluctuated from 10-20 μ v. to 35 μ v. at the moment of starting the signal stimulus; it increased up to 55 μ v. at the moment of the conditioned reflex reaction. In the auditory area of the cortex the values were 20-40 μ v. at the beginning of the sound action, rising to 60 μ v. in the period of motor-conditioned reflex action. The frequency of the waves increased from 25-35 to 32-40 per sec. If a conditioned reflex was produced with areas not directly participating in temporary connections the activity actually decreased. If the conditioned reflex was greatly reinforced an impulse from any source caused excitation of the same centres. The ability of other points of the cortex to respond to stimulation decreased. Thus, the observed data indicate that with the formation of temporary connections there develops a focus possessing dominating properties.

Semenova - Moscow (S)

RABINOVICH, M.Ya.

All-Union conference on problems in the electrophysiology of the
central nervous system. Zhur.vys.nerv.deiat. 8 no.1:148-153
Ja-F '58. (MIRA 11:3)
(ELECTROPHYSIOLOGY) (ELECTROENCEPHALOGRAPHY)

RABINOVICH, M.Ya.

Electrical activity of separate layers of motor and auditory cortical analysors during the production of defense conditioned reflexes.
Zhur.vys.nerv.deist. 8 no.4:546-559 Jl-Ag '58 (MIRA 11:9)

1. Elektrofiziologicheskaya laboratoriya Instituta mozga AMN SSSR.
(ELECTROENCEPHALOGRAPHY,

of motor & auditory analyzers, variations in different
layers during prod. of defense conditioned reflexes (Rus))
(REFLEX, CONDITIONED,

defense motor, eff. on EMG of various layers of motors
and auditory analyzers (Rus))

PREOBRAZHENSKAYA, N.S.; RABINOVICH, M.Ya.

Conference on problems in the structure and function of the reticular formation of the brain within the analyzor system. Zhur. nevr. i psich. 58 no.12:1512-1516 '58. (MIRA 12:1)
(BRAIN)

RABINOVICH, M.Ya.

Electrical activity of individual layers of the cortex of the motor and auditory analyzers during the production of internal inhibition [with summary in English]. Zhur.vys.nerv.deiat. 9 no.1:107-115 Jan '59. (MIRA 12:3)

1. Electro-physiological Laboratory, Institute of Brain, U.S.S.R. Academy of Medical Sciences, Moscow.
(CEREBRAL CORTEX, physiol.

electrical activity of layers in motor & auditory analyzers during prod. of internal inhib. (Rus))

SARKISOV, S.A. (Moskva); RUSINOV, V.S. (Moskva); RABINOVICH, M.Ya.
(Moskva)

"The central nervous system and behavior"; transactions of first
Conference, Josiah Macy Jr. Foundation, New York, 1958. Reviewed
by S.A. Sarkisov, V.S. Rusinov, M.IA. Rabinovich. Fisiol. zhur.
46 no. 51647-650 My '60. (MIRA 13:12)
(NERVOUS SYSTEM)

RABINOVICH, M.Ya.; GLEZER, I.I.

Method for recording the electrical activity of individual
cortical layers of the cerebral hemispheres in chronic experiments.
Zhur. vys. nerv. deiat 10 no. 4:630-633 Jl-Ag '60.

(MIRA 14:2)

1. Institute of the Brain, U.S.S.R. Academy of Medical Sciences,
Moscow.

(CEREBRAL CORTEX)

RABINOVICH, M.Ya.

Electrophysiological analysis of the activity of different layers
of the cerebral cortex during the formation of a conditioned reflex.
Zhur.vys.nerv.deiat. 11 no.3:463-473 My-Je '61. (MIRA 14:7)

1. Elektrofiziological Laboratory, Institute of Brain, U.S.S.R.
Academy of Medical Sciences, Moscow.
(CONDITIONED RESPONSE)

SARKISOV, S.A., prof., red.; ADRIANOV, O.S., red.; KRYZHANOVSKIY,
R.N., red.; FARIN, V.V., red.; POLYAKOV, G.I., red.;
POPOVA, Ye.N., red.; PORTUGALOV, V.V., red.; RABINOVICH,
M.Ya., red.; TROFIMOV, L.G[deceased], red.; ARKHANGEL'SKIY,
Yu.V., red.

[Structure and function of the nervous system; transactions
of a scientific conference, December 10 - 14, 1960] Struktura
i funktsiiia nervnoi sistemy; trudy nauchnoi konferentsii
(10-14 dekabria 1960 g.) Moskva, Medgiz, 1962. 358 p.

(MIRA 17:12)

1. Deystvitel'nyy chlen AMN SSSR (for Sarkisov).

RABINOVICH, M. Ye.

PA 65/49T103

USSR/Metals - Alloys

Aug 49

Stability, Thermal

"Centrifugal Method of Testing Metals and Alloys
at High Temperatures," M. Ye. Rabinovich, Engr,
Moscow Avn Tech Inst, 6 pp

"Zavod Lab" Vol XIV, No 8

Used several methods for testing thermal stability
of Al-, Cr-, MnO, and Zn-alloy systems, in
particular the centrifugal method proposed by
I. I. Kornilov. Studied the alloys in a deformed
and then a stabilized state. First subjected rod
samples to full heat treatment followed by 200-hour
stabilization at 300°, at which temperature all 3
tests were conducted.

EOD

65/497703

S/137/61/000/010/027/056
A006/A101

AUTHORS: Nekhayeva, A.N., Koval'chuk, O.S., Rabinovich, M.Ye., Fil'tser, S.O.

TITLE: Investigation of transformations in grade X17H2 (3Н268)
(Kh17N2 [EI268]) steel

PERIODICAL: Referativnyy zhurnal. Metallurgiya, no. 10, 1961, 24, abstract
10Zh155 ("Tr. Ufimsk. aviats. in-ta", 1960, no. 5, 75 - 90)

TEXT: It was established that eutectoid transformation in Kh17N2 steel during heating proceeds within a range of 680 - 820°C. The overcooled austenite of this steel is very stable and is not subjected to transformations during isothermal holding above the temperature of martensite transformation during 10 hours. Martensite transformation is observed at any cooling rate within the range of temperatures $< 280^{\circ}\text{C}$. The temperature of beginning martensite transformation M_b is the higher, the lower the cooling rate and the higher the temperature and the longer the time of isothermal holding at temperatures $> 300^{\circ}\text{C}$. This is connected with the process of carbide separation and impoverishment of

Card 1/2

S/137/61/000/010/027/056
A006/A101 ✓

Investigation of transformations ...

the austenite in Cr and C. The decomposition of residual austenite during tempering takes place in the cooling process at temperatures < 170°C. There are 6 references.

L. Vul'f

[Abstracter's note: Complete translation]

Card 2/2

RABINOVICH, N.

Introduce uniform work norms in open-pit mining work. Sets, trud
(MIRA 13:6)
4 no. 12:96-98 F '60.
(Strip mining--Production standards)

RABINOVICH, N. (Moskva).

We are perfecting the technological process. Prom. koop. 12 no.3:
(MIRA 11:3)
28-29 Mr '58.

1. Machal'nik gal'vanicheskogo tschka arteli imeni 5 dekabrya.
(Galvanizing)

SHTYRKova, A.; RABINOVICH, N.

Technical books on workers' education. Prof.-tekhn. obr. 22
no. 8:30 Ag '65. (MIRA 18:12)

1. Gosudarstvennaya publichnaya nauchno-tehnicheskaya biblioteka
SSSR.

ACC NR: AP6035878 (A,N) SOURCE CODE: UR/0413/66/000/020/0103/0103

AUTHOR: Kul'bak, V. O.; Rabinovich, N. A.; Raygorodskaya, V. Ya.

ORG: none

TITLE: Method of obtaining griseofulvin. Class 30, No. 187239

SOURCE: Izobreteniya, promyshlennye obraztsy, tovarnyye znaki, no. 20, 1966, 103

TOPIC TAGS: griseofulvin, chemical synthesis, chemical compound, drug, ~~drug-industry~~, carbon tetrachloride

ABSTRACT: An Author Certificate has been issued for a refinement of the method of producing griseofulvin given in Author Certificate No. 135187. In order to simplify the process, to increase yield, and to improve the quality of the product, the raw material for griseofulvin is washed with a nonflammable, organic solvent, such as carbon tetrachloride, and recrystallized from methylene chloride. [WA-50]

SUB CODE: 07/ SUBM DATE: 22Mar62

Card 1/1

UDC: 615.45'615.779.932

ACC NR: AP6035878 (A,N) SOURCE CODE: UR/0413/66/000/020/0103/0103

AUTHOR: Kul'bakha, V. O.; Rabinovich, N. A.; Raygorodskaya, V. Ya.

ORG: none

TITLE: Method of obtaining griseofulvin. Class 30, No. 187239

SOURCE: Izobreteniya, promyshlennyye obraztsy, tovarnyye znaki, no. 20, 1966, 103

TOPIC TAGS: griseofulvin, chemical synthesis, chemical compound, drug, ~~drug industry~~, carbon tetrachloride

ABSTRACT: An Author Certificate has been issued for a refinement of the method of producing griseofulvin given in Author Certificate No. 135187. In order to simplify the process, to increase yield, and to improve the quality of the product, the raw material for griseofulvin is washed with a nonflammable, organic solvent, such as carbon tetrachloride, and recrystallized from methylene chloride. [WA-50]

SUB CODE: 07/ SUBM DATE: 22Mar62

Card 1/1

UDCI 615.45:615.719.932

RABINOVICH, N.B.

STRUCTURE AND PHYSICAL PROPERTIES OF MATTER IN A LIQUID STATE
reports read at the 6th Conference convened in KIYEV from 1 to 5 June
1959, published by the publishing House of KIYEV University, KIYEV,
USSR, 1962

- G.S. DENISOV and V.Y. CHUANOVSKII, Spectral Investi-
gation into the Interaction Between
the Carbonyl Group of Ketones and
Proton-donor Molecules 144
- N.B. RABINOVICH, Z.V. VLADIMIROVA and V.A. CORBUSHENKOV,
The Effect of the Substitution of Hydrogen
by Deuterium on the Critical Temperature
and Polarization of Molecules 144
- YU.P. BLAGOV and N.S. RUSENKO, The Surface Tension and
Density of Liquefied Gas Solutions 144
- Articles of special interest are those beginning on pp 57, 65, 115
and 144 (2) respectively.

RABINOVICH, Nisan Borukhovich; SHALIMOV, Yu.B., red.

[High speeds in well drilling] Vysokie skorosti prokhodki
skvazhin. Elista, Kalmagosizdat, 1964. 34 p.
(MIRA 18:3)

VINOKURSKIY, S.A.; GONCHARSKIY, L.A.; RABINOVICH, N.E.

Mechanotron with increased sensitivity to current changes. Trudy
VNIIMIO no.3:179-181 '63 (MIRA 18:2)

VINOKURSKIY, S.A.; RABINOVICH, N.E.

IDA-1 apparatus for automatic measurement of the arterial
pressure. Nov. med. tolk. no. 2834-40 '64.

(MIRA 18:11)

RABINOVICH, N.E.; SOBAKIN, M.A.; YUREVICH, V.M.

Study of frequency changes in the brain biopotentials during
ether anesthesia. Nov. med. tekhn. no.2:45-51 '64.
(MIRA 18:11)

VINOKURSKIY, S.A.; RABINOVICH, N.E.; MILOVIDOV, Ye.A.; OHRIMETS, V.S.

Testing of differential recording machines. Nov. med. tekhn.
no.2:168-170 '64. (MIPA 12:11)

VJNOKURSKIY, S.A.; AMAYEVA, L.A.; RABINOVICH, N.E.

Device for the calibration of small changes in volume. Nov. med.
tekhn. no.3;170-173 '65. (MIRA 19:1)

VINOKURSKY, S.A.; RABINOVICH, N.E.; LIVCHITS, B.M.; CHIKATILOV, V.S.

Analysis of kinematic errors of the recording mechanism of a
stygrometer. Izm. tekhn. no.4:23-25 (ap '65). (MIRA 12:7)

EXCEPTEA MEDICA Sec.4 Vol.11 '4 Med.Microb. etc. April 58

1011. A CASE OF LAMBLIOTIC CHOLECYSTITIS WITH AN UNUSUAL EOSINOPHILIC REACTION AND HYPERLEUCOCYTOSIS (Russian text) - Rabinovich N.G. - VRAC.DELO. 1953, 10 (1089-1092)

A 21-year-old patient with lambliotic cholecystitis is described. The onset of illness was acute, accompanied by pain, mild pyrexia (38°C) and bronchitis. Lamblia and accumulated leucocytes were found in the duodenal contents (portion C). Blood examination showed total white cell count 33,500 with a differential as follows: eosinophils 73%, metamyelocytes 2%, neutrophils 14%, lymphocytes 10% and monocytes 1%. ESR 32 mm./hr. Sternal puncture indicated increased number of eosinophils with a shift to the left towards myelocytes, and increased number of plasmatic cells (5%). Following atebrin therapy the general condition of the patient improved, the temperature returned to normal and the number of leucocytes dropped to 9000 (eosinophils 28%, basophils 1%, metamyelocytes 4%, neutrophils 37%, lymphocytes 21% and monocytes 9%). The author points out that in this case lambliotic cholecystitis was associated with an allergic reaction whose clinical manifestations were the unusual eosinophilia with hyperleucocytosis, dyskinesia of the gastro-intestinal tract (established roentgenologically) and persistent bronchitis.

(S)

RABINOVICH, N.G., doktor med.nauk

Use of anticoagulants under outpatient and polyclinic conditions.
(MIRA 14:6)
Vrach. delo no.4:24-27 Ap '61.

1. Poliklinika No.26 Leningrada.
(ANTICOAGULANTS (MEDICINE))

SHAPOVALOV, V.F., inzh.; RABINOVICH, N.G., inzh.

Automation of cutting machines. Mekh.i avtom.proizv.
16 no.10:1-4 0 '62. (MIRA 15:11)
(Cutting machines)
(Automation)

SHAPOVALOV, V.F. ; RABINOVICH, N.G.; INOZEMTSEV, O.G.; AVTONOMOV, V.A.

Completely automatic area for machining axle-type parts. Biul.tekh.-
ekon.inform.Gos.nauch.-issl.inst.nauch. i tekhn.inform. 16 no.11:37-
40 '63. (MIRA 16:11)

AVTONOMOV, V.A., inzh.; RABINOVICH, N.G., inzh.; SHAPOVALOV, V.F., inzh.

Installing the LA730 semiautomatic multicut lathe in an
automatic production line. Mekh. i avtom. proizv. 17 no.8:
(MIRA 16:10)
1-3 Ag '63.

RABINOVICH, N. I.

USSR/Engineering - Irrigation, Equipment Feb 52

"Pump and Power Equipment for Irrigation Using
Underground Water," N. I. Rabinovich, Engr

"Gidrotekh i Melior" No 2, pp 40-44

Describes irrigation works in Kursk region and equipment used in pump stations. Discusses performance of 3 types: horizontal centrifugal pumps, piston pumps and centrifugal depth pumps, latter type being most efficient. In absence of electric power supply, portable steam engines or oil engines are used for driving pumps by belt transmission.

212T47

RABINOVICH, N.I., inzhener.

Conference on problems of the automatization and telemechanization of water power and irrigation systems. Gidr.i mol. 5 no.15:57-58 D '53.

(MLRA 6:11)

(Hydraulic engineering) (Automatic control)

KULIKOV, Petr Yegorovich, inzh.; RABINOVICH, Naum Isayevich, inzh.;
ROZHANSKIY, G.S., dotsent, kand.tekhn.nauk. retsenzent;
CHESNOKOV, A.V., inzh., retsenzent; KRYUKOV, V.L., inzh., red.;
NAKHIMSON, V.A., red.izd-va; UVAROVA, A.F., tekhn.red.

[Operation of farm irrigation pumping stations] Ekspluatatsiya
sel'skikh orositel'nykh naosnykh stantsii. Moskva, Gos.nauchno-
tekhn.izd-vo mashinostroit.lit-ry, 1958. 157 p. (MIRA 12:4)
(Irrigation) (Pumping machinery)

AUTHOR: Rabinovich, N.I., Engineer SOV/99-58-12-3/7

TITLE: The Tractor-Mounted Pumping Station NNS-6 NDV (Yavesnaya nasosnaya stantsiya NNS-6 NDV)

PERIODICAL: Gidrotehnika i melioratsiya, 1958, Nr 12, pp 23-27 (USSR) ¹⁰⁻

ABSTRACT: For the irrigation of small sections of farm land, mobile mechanical pumping systems proved to be more suitable than stationary ones in a number of districts in the USSR. The author explains the advantages of these mobile pumping stations, e.g. the pumping unit possesses a high maneuverability and can easily be installed anywhere, the operation of the pump is not dependent on the water level, and operation costs are lower. The PNST-6 NDV pumping station has found widespread application, and is attached to tractors of different design. During 1956-1958, the Kurskiy remontno-mekhanicheskiy zavod MSKh RSFSR (Kursk Mechanical Repair Plant MSKh RSFSR) produced about 700 such pumping stations. The main disadvantage of this pump is that the full power capacity of the tractor is not used; the loss of power in the 2-gear transmission is about 10-15 %. Other disadvantages of tractor-mounted pumps are their heavy weight and high cost. On the initiative of the construction research department of VNIIGiM,

Card 1/2

The Tractor-Mounted Pumping Station NNS-6 NDV

SOV/99-58-12-3/7

the Kursk Mechanical Repair Plant developed an experimental model of a tractor-mounted pumping station NNS-6 NDV for the tractor DT-54. The efficiency factor of this pump is 10-11 % higher than that of the PNST-6 NDV, the weight and the costs have been greatly reduced, and much better use is made of the tractor's power. Table 2 gives a detailed comparison of the PNST and NNS types: the output of the PNST amounts to 67.0 l/sec in comparison with 76.0 l/sec with the NNS; the pressure head is 28m as compared to 40m; the power at the pump shaft is 33.5 hp as compared to 53-hp; the engine's power capacity is 54 hp as compared to 54 hp; the efficiency factor is 62 % as compared to 98 %; and the rpm is 1,080 as compared to 1,300.

There are 2 photos, 2 tables, 1 graph and 2 diagrams.

Card 2/2

HABINOVICH, N. I., Cand Tech Sci -- (diss) "Portable Pumping Stations
Equipped with Internal Combustion Engines for Irrigation," Moscow, 1960, 21 pp,
150 copies (All-Union Sci Res Inst of Hydraulic Engineering and Soil Improvement
im A. M. Kostyakov, All-Union Academy of Agricultural Sciences) (KL, 48/60, 114)

RABIMOVICH, N.I.; DZYUBENKO, B.V.

The SDU-10 medium-jet sprinkler unit and the NNS-6MDV mounted pumping station. Biul.tekh.-ekon.inform. no.1:64-66 '60.
(MIRA 13:5)

(Spraying and dusting equipment)

RABINOVICH, N.I.; KUNDZICH, M.M., inzh., retsenzent; KOCHNEV, M.G.,
inzh., red.; ZHURAVLEVA, M.N., red.izd-va; TIKHANOV, A.Ya.,
tekhn. red.

[Mobile pumping stations for irrigation] Peredvizhnye nasosnye
stantsii dlia orosheniia. Moskva, Mashgiz, 1962. 115 p.
(MIRA 16:3)

(Pumping stations) (Irrigation)

RABINOVICH, N.I., kand. tekhn. nauk

New movable diesel pumping stations. Gidr. i mel. 15 no.2:
14-19 F '63. (MIRA 16:4)

1. Respublikanskiy gosudarstvennyy institut po proyektirovaniyu vodokhozyaystvennogo i meliorativnogo stroitel'stva RSFSR.

(Pumping stations) (Irrigation)

RABINOVICH, N.I., kand.tekhn.nauk

Mobile diesel pumping stations for irrigation. Gidr. i mel. 16
no.3:52-56 Mr '64. (MIRA 17:4)

1. Respublikanskiy gosudarstvennyy institut po proyektirovaniyu
vodokhozyaystvennogo i meliorativnogo stroitel'stva RSFSR.

BABINOV, Yu.P.; GOLIKOV, Yu.V.; RABINOVICH, N.I.

Summary amplitude of body fluctuations as an index of the stability of the standing posture in man. Biul. eksp. biol. i med. 66 no.8,122-125. Ag '65. (MIRA 18:9)

J. Laboratoriya klinicheskoy fiziologii (zav.- akademik AN UkrSSR Ya.P. Babkiy) Instituta normal'noy i patologicheskoy fiziologii (dir.- deystvitel'nyy chlen AMN SSSR V.V. Farin) AMN SSSR, Moskva.

RABINOVICH, N.I.

Increasing the life of moving wheels. Koks. i khim. no. 3:58-60
'61. (MIRA 14:4)

1. Yasinovskiy koksokhimicheskiy zavod.
(Wheels)

RABINOVICH, N.I.

Improving the mechanisms for cleaning doors, casings and frames.
Koks i khim. no.11:62-63 '62. (MIRA 15:12)

1. Yasinovskiy koksokhimicheskiy zavod.
(Coke industry—Equipment and supplies)

METROVSKIY, B.V.; YEFUNI, S.N.; RABINOVICH, N.I.; SOLOV'YEV, N.A.

Use of electroencephalography in general anesthesia. Med.prom.
14 no.6:14-21 Je '60. (MIRA 13:6)

1. I Moskovskiy meditsinskiy institut i Vsesoyuznyy nauchno-
issledovatel'skiy institut meditsinskogo instrumentariya i
oborudovaniya.

(ELECTROENCEPHALOGRAPHY) (ANESTHESIA)

RABINOVICH, N.K.

18

Tin plating of enamel-covered wire. N. K. Rabinovich
and B. I. Shimkevich. U.S.S.R. 105,795. May 25, 1957.
The wire is immersed in a bath of molten tinning compn.
within which are generated ultrasonic waves of such intensity
as to insure cavitation, thus removing the enamel and baring
the wire. M. Hoch

34E2C

Rey
amf

RABINOVICH, N.L., starshiy bibliograf; VVEDENSKIY, T.A.

Book reviews. Mashinostroitel' no.8:41 and 48 Ag '65.
(MIRA 18:11)

1. Starshiy bibliograf Gosudarstvennoy publichnoy nauchno-tehnicheskoy biblioteki SSSR Gosudarstvennogo komiteta po koordinatsii nauchno-issledovatel'skikh rabot SSSR (for Rabinovich).

RABINOVICH N.M.

AKBUKIN, Yu.I., inzhener; RABINOVICH, N.M., inzhener.

Reconstructing a circulating cooling system of a small capacity
hydrogenerator into a closed-cycle one. Elek.sta. 25 no.11:56-58
N '54. (MLRA 7:11)

(Dynamics) (Cooling)

SHABANOV, A.N.; RABINOVICH, N.M.; NEYMAN, M.I., red.; BEL'CHIKOVA, Yu.S.,
tekhn.red.

[Botkin (Order of Lenin) Municipal Clinical Hospital in Moscow]
Moskovskaya gorodskaya ordena Lenina klinicheskaya bol'nitsa
imeni S.P.Botkina. Moskva, Gos.izd-vo med.lit-ry. 1957. 81 p.
(MIRA 12:12)

(MOSCOW--HOSPITALS)

RABINOVICH, N.M.; RUDOV, M.S.; CHERNYSHEV, L.D. (Moskva)

Experience with the organization of out-of-town hospitals for
aftercare. Sov. zdrav. 19 no.9:15-18 '60. (MIRA 13:11)
(MOSCOW--HOSPITALS, CONVALESCENT)

PAVLYUTKIN, Semen Petrovich; SAMOKHIN, N.I., inzh., retsenzent;
RABINOVICH, N.M., ekonomist, retsenzent; SALYANSKIY, A.A.,
red.izd-va; UVAROVA, A.P., tekhn.red.

[Organization and planning in foundries] Organizatsiya i
planirovaniye v liteinykh tsekhakh. Moskva, Gos.nauchno-tekhn.
izd-vo mashinostroit.lit-ry, 1962. 232 p. (MIRA 15:2)
(Foundries) (Industrial management)

BRAUN, S. E.; RABINOVICH, N. P.

Alternating bundle branch block in hypertension. Ter. arkh..
Moskva 23 no.5:68-72 Sept-Oct 1951. (CIML 21:1)

1. Of the First Department of therapy (Head -- Prof. M. S.
Vovsi, Active Member of the Academy of Medical Sciences USSR).
Central Institute for the Advanced Training of Physicians.

1. RABINOVICH, N. P.; SCHUL'TSEV, G. P.
2. USSR (600)
4. Heart
7. Intracardiac thrombus. Klin. med. 30 no. 12 1952.
9. Monthly List of Russian Acquisitions, Library of Congress, April 1953, Uncl.

"APPROVED FOR RELEASE: Tuesday, August 01, 2000

CIA-RDP86-00513R0013438

RABINOVICH, N.P.

Finishing instrument parts by rolling. Priborostroenie no. 5:21-22 My
'57. (MLRA 10:6)

(Rolling (Metalwork))

APPROVED FOR RELEASE: Tuesday, August 01, 2000

CIA-RDP86-00513R0013438

RABINOVICH, N.P.

Increasing engineering efficiency of parts and units in instrument manufacture. Av.prom. 26 no.8:7-10 Ag '57. (MIRA 15:4)
(Instrument manufacture)

ITEL'SON, Genrikh Maksovich, inzh.; ZHILKIN, Vladimir Borisovich,
inzh.; ~~RABINOVICH N.P.~~, inzh., spets. red.; GLADKOV,
V.A., red.; SYCHEVA, V.A., tekhn. red.

[Titanium equipment in the production of nickel] Titanovoe
oborudovanie v proizvodstve nikelia. Murmansk, Murmanskoe
knizhnoe izd-vo, 1963. 124 p. (MIRA 16:9)

(Nickel industry--Equipment and supplies)
(Titanium alloys--Corrosion)

31041. RABINOVICH, N. S.

Moy opty v khirurgicheskem lechenii gipertrofii predstatel'noy zhelezы
po dvukh momentnomu sposobu V. M. Mysha. Vestnik khrurgii im. Grekova,
1949, No. 4, s. 16-20--Bibliogr: 6 nazv.

REYNBERG, S.A., professor, zasluzhennyy deyatel' nauki; RABINOVICH, N.S.

So-called pseudosarcomas in congenital fragilitas ossium. Khirurgia
no.11:77-81 N 154. (MLFA 8:3)

1. Iz rentgenovskogo kabineta Krasnovskoy bol'nitsy Moskovskoy oblasti (zav. N.S.Rabinovich), rentgenologicheskogo otdela Moskovskogo oblastnogo nauchno-issledovatel'skogo klinicheskogo instituta i kafedry rentgenologii TSentral'nogo instituta usovershenstvovaniya vrachey v Moskve (zav. zasluzhennyy deyatel' nauki prof. S.A.Reynberg)

(SARCOMA,

pseudosarcoma in osteogenesis imperfecta)

(OSTEOGENESIS IMPERFECTA, complications,

pseudosarcoma)

RABINOVICH, N. Ya.

BREKHOVSKIKH, L.M., doktor fiziko-matematicheskikh nauk; BYALOVA, V.V.;
IVANOV, I.D., kandidat fiziko-matematicheskikh nauk; ISAKOVICH,
M.A., doktor fiziko-matematicheskikh nauk, redaktor; RABINOVICH,
N.Ya., redaktor; ROZENBERG, L.D., doktor tekhnicheskikh nauk,
redaktor; TARTAKOVSKIY, B.D., kandidat tekhnicheskikh nauk.
GUROV, K.P., redaktor; GRAKOVA, Y.S.D., tekhnicheskiy redaktor.

[Scientific literature on acoustics during the years 1945-1949]
Nauchnaia literatura po akustike za 1945-1949 gg. Moskva, 1955.
276 p. (MLRA 8:12)

1. Akademiya nauk SSSR. Komissiya po akustike. 2. Chlen-korrespondent AN SSSR (for Brekhovskikh)
(Bibliography--Sound)

LANDSBERG, G.S., akad. [deceased]; MAYANTS, L.S., doktor fiziko-matem. nauk; BATUYEV, M.I., doktor khim. nauk; BARYSHANSKAYA, F.S., kand. fiziko-matem. nauk; STERIN, Kh.Ye., kand. fiziko-matem. nauk; ARANOVICH, P.M., kand. khim. nauk; BYALOVA, V.V., mlad. nauchnyy sotr.; ROTKOVA, S.V., mlad. nauchnyy sotr.; RABINOVICH, N.Ya., mlad. nauchnyy sotr.; BERKGAUT, V.G., red. izd-va; GOLUB', S.P., tekhn. red.

[Scattering of light and infrared spectroscopy; bibliographic index for 1928-1940] Rasseianie sveta i infrakrasnaia spektroskopii; bibliograficheskii ukazatel' 1928-1940. Moskva, Izd-vo Akad. nauk SSSR, 1961. 451 p. (MIRA 14:11)

1. Akademiya nauk SSSR. Komissiya po spektroskopii. Sektor seti spetsial'nykh bibliotek.
(Light--Scattering--Bibliography) (Spectrum, Infrared--Bibliography)

VREDEN-KOBETSKAYA, T.O.; GEORGIOIANI, A.N.; GOLUBEVA, N.P.;
GRIGOR'YEV, N.N.; ZHEVANDROV, N.D.; MORGENSHTERN, Z.L.;
PETUKHOVA, M.S.; RABINOVICH, N.Ya.; FOK, M.V.;
KHAN-MAGOMETOVA, Sh.D.; ANTONOV-ROMANOVSKIY, V.V., doktor
fiz.-mat. nauk, otyv. red.

[Luminescence; a bibliographic index for 1947-1961] Liu-
minestentsiiia; bibliograficheskii ukazatel', 1947-1961.
Moskva, Nauka. Vol.2. 1964. 378 p. (MIRA 18:4)

1. Akademiya nauk SSSR. Sektor seti spetsial'nykh bibliotek.

RABINOVICH, O. M. (Co-author)

See: FAYERSHTEYN, D. G.

Rabinovich, O. M. and Fayershteyn, D. G. - "Research on the combustibility of Ukrainian lignites," Nauch. zapiski Khar'k. mekhan.-mashinostroit. in-ta, Vol. IX, Issue 1, 1948, p. 71-87

SO: U-3566, 15 March 53, (Letopis 'Zhurnal 'nykh Statey, No. 14, 1949).

RABINOVICH, O. M.

"Collection of Problems on Engineering Thermodynamics" 1949.

Textbook. Problems on gas turbines are given in the chapter on "Circular Processes" p. 83-102.

BABITOVICH, O. M.

Sbornik zadach po tekhnicheskoi termodinamike. Dop. v kachestve uchebn. posobiia dlia mashinostroit. tekhnikumov. Moskva, Mashgiz, 1949. 208 p. diagrs., tables.

Bibliography: p. 206.

Collection of problems in technical thermodynamics.

DLC: TJ245.R2

SO: Manufacturing and Mechanical Engineering in the Soviet Union, Library of Congress, 1953.

RABINOVICH, O.M., professor.

[Collection of problems in technical thermodynamics] Sbornik zadach po tekhnicheskoi termodynamike. Izd. 2., perer. i dop. Moskva, Gos. nauchno-tekhn. izd-vo mashinostroit. i sudostroit. lit-ry, 1953. 275 p.

(MLRA 6:11)

(Thermodynamics--Problems, exercises, etc.)

RABINOVICH O.M.

NAYMARK, I.K., inzhener; PET'KO, V.M., inzhener; RABINOVICH, O.M.,
professor; FAYERSHTEYN, D.G., kandidat tekhnicheskikh nauk.

Improving the efficiency of a boiler unit operating on anthracite
coal dust. Elek.sta. 25 no.11:8-10 N '54. (MLRA 7:11)
(Steam boilers)

RABINOVICH, Oskar Markovich, professor; KIRILLIN, V.A., retsenzent;
MATVEYEVA, Ye.N., tekhnicheskij redaktor

[Collection of problems in technical thermodynamics] Sbornik zadach
po tekhnicheskoy termodinamike. Izd. 3-e, perer. i dop. Moskva,
Gos. nauchno-tekhn. izd-vo mashinostroit. lit-ry, 1957. 303 p.
(MLRA 10:6)

1. Chlen-korrespondent Akademii nauk SSSR (for Kirillin)
(Thermodynamics--Problems, exercises, etc.)

DUEL', M.A., kand.tekhn.nauk; RABINOVICH, O.M., prof.; STANKEVICH, G.L.,
inzh.; FAYERSHTEYN, D.G., kand.tekhn.nauk

Testing the steam superheater of a high-pressure boiler fired with
ash. Elek.sta. 29 no.8:22-25 Ag '58. (MIRA 11:11)
(Superheaters--Testing)

RABINOVICH, O.M.; FAYERSMTEYN, D.G.; GORBATENKO, V.Ya.; GORBATKO, P.A.

Effect of the reducing of ball loading on the efficiency of a drum-type ball mill. Trudy MIFI, Ser.mash. 19 no.5:51-59 '59.

(MIRA 14:9)

(Coal, Pulverized--Equipment and supplies)

RABINOVICH, O.M., prof.; GORBATENKO, V.Ya., inzh.

Preventing low-temperature corrosion by means of ammonia
admixture to the combustion products. Teploenergetika 7
no.10:31-36 0 '60. (MIRA 14:9)

1. Khar'kovskiy politekhnicheskiy institut.
(Corrosion and anticorrosives)
(Boilers)

RABINOVICH, O.M., prof.; FAYERSHTEN, D.G., kand.tekhn.nauk; STANKEVICH,
G.L., inzh.; YEREMENKO, R.V.

Testing a steam superheater of a boiler fired with natural
gas. Elek.sta. 31 no.1:2-8 Ja '60. (MIRA 13:5)
(Superheaters--Testing)

RABINOVICH, O.M., prof.; FAYERSHTEYN, D.G., kand.tekhn.nauk;
STANKEVICH, G.L., inzh.

Experimental investigation of gas burners with peripheral gas
feed. Elek.sta. 31 no.2:2-6 F '60. (MIRA 13:5)
(Gas burners)

RABINOVICH, O.M., prof., doktor tekhn.nauk; FAYERSHTEYN, D.G., kand.tekhn.
nauk; GORBATKO, P.A., inzh.

Operation of a culm-burning boiler unit converted to operate
on natural gas. Izv. vys. ucheb. zav.; energ. 4 no.3:45-48
Mr '61. (MIRA 14:3)

1. Khar'kovskiy politekhnicheskiy institut imeni V. I. Lenina.
Predstavlena kafedroy kotlostroyeniya.
(Boilers)

RABINOVICH, O.M., prof.; FAYERSHTEYN, D.G., kand.tekhn.nauk; PET'KO, V.M.,
kand.tekhn.nauk; LEBEDEV, F.M., inzh.; VYSOTSKAYA, A.I., inzh.;
YEREMENKO, R.V., inzh.

Increase in the evaporation capacity of boilers converted to
operation on natural gas. Energetik 10 no.11:11-14 N '62.
(MIRA 15:12)

(Boilers)
(Gas as fuel)

RABINOVICH, O.M.; GALIN, V.L., dots., retsenzent; ARONOV, I.Z.,
kand. tekhn. nauk, red.; VASIL'YEVA, V.P., red.izd-va;
SHCHETININA, L.V., tekhn. red.

[Boiler units] Koyel'nye agregaty. Moskva, Mashgiz,
1963. 459 p. (MIRA 17:2)

RABINOVICH, P.; VASIL'YEV, B.

Traffic organization and safety. Avt. transp. 43 no.12:49-50
D '65. (MIRA 18:12)

1. Chlen Moskovskoy gorodskoy kollegii advokatov (for Rabinovich).
2. Zamestitel' Ministra avtomobil'nogo transporta i shosseynykh dorog RSFSR (for Vasil'yev).

RABINOVICH, P.D. (Saratov)

Separation of erythrocytes and blood plasma. Klin.med. 32 no.2:70-71
P '54. (MLRA 7:5)

1. Iz gorodskoy klinicheskoy ob'yedinennoy bol'nitay im. V.I.Lenina i
kliniki gospital'noy terapii (direktor - professor L.S.Shvarts) Saratovskogo
meditsinskogo instituta. (Blood--Corpuscles and platelets)
(Blood--Plasma)

RABINOVICH, P.D., uchastkovyy vrach.

Chronaximetry in bronchial asthma. Terap. arkh. 27 no.6:72-76 '55.
(MLRA 9:2)

1. Iz 1-y gorodskoy klinicheskoy bol'nitsy imeni V.I. Lenina,
(glavnnyy vrach P.N. Filippenko) i kliniki gospital'noi terapii
(dir. prof. L.S. Shvarts) Saratovskogo meditsinskogo instituta.

(ASTHMA, physiology,

chronaximetry in)

(NERVOUS SYSTEM, physiology,

chronaximetry in asthma)

RABINOVICH, P. D., kand. med. nauk; ZORINA, S. S. (Chita)

Hexonium treatment of peptic ulcer of the stomach and duodenum.
Klin. med. no.11:100-104 '61. (MIRA 14:12)

1. Iz kliniki gospital'noy terapii (zav. - dotsent Ya. L. Lur'ye)
Chitinskogo meditsinskogo instituta (dir. - dotsent Yu. D. Ryzhkov)

(PEPTIC ULCER) (HEXONIUM)

RABINOVICH, P.D.; POTAPOVA, R.Ya.

Increasing the accuracy of the quantitative determination of pepsin
in the contents of the stomach by means of S.G.Metta's method. Lab.
delo 7 no.5:41-43 My '61. (MIRA 14:5)

1. Kafedra gospital'noy terapii (zav. Ya.L.Lur'ye) Chitinskogo
meditsinskogo instituta.
(PEPSIN)

RABINOVICH, P.D.

Content of sialic acids, hexosamine and hexoses bound with
proteins in the gastric juice of peptic ulcer patients.
Vop. med. khim. 8 no.5:500-504 S-0'62 (MIRA 1724)

1. Klinika gospital'noy terapii Chitinskogo gosudarstven-
nogo meditsinskogo instituta.

RABINOVICH, P.D., dotsent

Case of anaphylactic shock during the administration of
penicillin drops into the nose. Sov.Med. 27 no.7:138-139
Jl '63. (MIRA 16:9)

1. Iz kliniki gospital'noy terapii (zav. - dotsent P.D.
Rabinovich) Chitinskogo meditsinskogo instituta.
(ANAPHYLAXIS) (PENICILLIN--TOXICOLOGY)

RABINOVICH, P.D.

Use of pentoxylin peptic ulcer. Sov. med. 28 no. 7:109-110 Jl '64.
(MIRA 18:8)

1. Klinika gosпитальной терапии (исполняющий член ассоциации
заведующий кафедрой - канд. мед. наук Р.Д. Рабинович) Читинского
медицинского института.

RABINOVICH, P.D.

Seasonal variations in the secretion of gastric mucus in peptic
ulcer. Nek. vop. klim. i kraev. pat. no.3:20-83 '63.

(MIRA 18:10)

PHASE I BOOK EXPLOITATION 758

Gofman, Il'ya Lazarevich, and Rabinovich, Pinya Moiseyevich

Ispol'zovaniye statisticheskikh metodov dlya povysheniya kachestva produktsii (The Use of Statistical Methods for the Improvement of Product Quality) Moscow, Gosstatizdat, 1957. 143 p. 3,000 copies printed.

Ed.: Shentsis, Ye. M.; Tech. Ed.: Mulikova, I.F.

PURPOSE: This book is intended for engineering and technical personnel, economists, and statisticians.

COVERAGE: The book briefly describes the most useful techniques of quality control and statistical methods as applied to industrial problems of product quality. It contains numerous examples and problems drawn from the practices of various industries, and it relates them to various theoretical concepts. The authors declare

Card 1/4

The Use of Statistical Methods (Cont.) 758

that the use of these techniques and methods will contribute to proper organization and sound management which are essential to a successful quality program. The introduction, Ch. I and paragraphs 2,9,10,12-14 of Ch. II were written by I.L. Gofman; paragraphs 1, 3-8, 11 and 16 of Ch. II were written by P.M. Rabinovich. The remainder was written jointly by the two authors. There are no references.

TABLE OF CONTENTS:

Introduction	3
Ch. I. Analysis of Statistical Data Indicating Product Quality	
1. Requirements for product quality	6
2. Statistical data indicating product variability	8
3. Statistical data indicating operational product quality	12

Card 2/4

The Use of Statistical Methods (Cont.) 758

4. Statistical data on defects and subsequent reclamation	16
5. Statistical reports on product quality	29
Ch. II. Statistical Methods of Analyzing Product Quality	
1. Averages and measures of variance	37
2. Analysis of the uniformity of product quality	40
3. The relationship between group and individual dispersions	44
4. Analysis of the performance quality of multitool machines	47
5. Lot and sample aggregates	48
6. Understanding the estimate of probability	49
7. Laws of random processes	53
8. Sampling and its application to determine product quality	56
9. The practical application of sampling in industry	70
10. Studying the quality of a product during its use	72

Card 3/4

The Use of Statistical Methods (Cont.) 758

11. The use of correlation analysis in determining product quality	83
12. Examples of usage of correlation analysis	93
13. Determination of the effect of a change in the technological process on product quality	95
14. Analysis of variance	99
15. The normal distribution curve and methods of plotting it	102
16. Statistical data indicating the relative stability of a process	108
Ch. III. Preventive Statistical Control of Product Quality	
1. Compilation of statistical control charts of product quality	118
2. Charts showing product variability at individual work-places	138
Appendix 1. Table of Ordinates of Cumulative Percentages	141
Appendix 2. Probability (P) of Standard Deviations (t) According to Lyapunov's Integral	143
AVAILABLE: Library of Congress	

JG/ksv
11-6-58

Card 4/4

PHASE I BOOK EXPLOITATION

407

Zizyukin, Mikhail Il'in

Preduprezhdeniye i analiz braka v mashinostroyenii (Prevention and Analysis of Waste in Machine Building) Moscow, Mashgiz, 1957.
221 p. 6,000 copies printed.

Reviewers: Bozhukov, B.P. and Filatov, S.P., Engineers; Ed.: Rabinovich, P.M., Docent; Ed. of Publishing House: Temkin, A.V.; Tech. Ed.: Uvarova, A.F.; Managing Ed. of literature on the economics and organization of production: Saksaganskiy, T.D.

PURPOSE: This book is intended for industrial engineers, technical personnel and economists.

COVERAGE: The book deals with the analysis of production rejects and methods of current production control. Special emphasis is placed on statistical methods of production quality control and the analysis of manufacturing processes used in Soviet and foreign plants. Various methods of production inspection and non-destructive testing, such as ultrasonic and radiographic methods,

Card 1/5

Prevention and Analysis of Waste in Machine Building 407

are discussed, and definitions of industrial terms used in quality control are given. Chapter III was written by Docent P.M. Rabinovich. There are no references.

TABLE OF
CONTENTS:

Foreword	3
Ch. I. The Finished Product and Its Quality	5
1. Concept of the finished product	5
2. Analysis of quality of finished products	5
Ch. II. Production Rejects, Their Registration and Analysis	11
1. Concept of the reject	11
2. Kinds of rejects, their causes and personnel responsible	13
3. Classification of rejects	13

Card 2/5

Prevention and Analysis of Waste in Machine Building	407
4. Inspection of production and registration of rejects	17
5. Removal and storage of rejects	18
6. Losses due to rejects	20
7. Analysis of rejects on the basis of production records	21
Ch. III. Elements of Mathematical Statistics and the Theory of Probability as Applied to Analysis of Rejects and Production Control	28
1. Elements of mathematical statistics and the theory of probability	28
2. Sampling method of control	40
3. Correlational analysis	57
4. Distribution curves	63
5. Use of mathematical statistics in production quality control	65

Card 3/5